

X-CEL EXCLUSIVES

Transitions[®] lenses

Transitions[®] 1.50

10 Base D-28 in Gray
10 Base 7X28 in Gray
2 Base 8X35 in Gray
Round 24 Seg in Gray/Brown

Transitions[®] High-X[™] 1.55

10 Base SFSV in Gray/Brown
10 Base D-28 in Gray/Brown
D-35 in Gray/Brown
8X35 in Gray
7X28 in Gray/Brown

Transitions[®] Aris[™] Trivex[®]

7X28 in Gray, Brown
D-28 375 & 400 Adds in Gray/Brown
Round 24 Seg in Gray
D-35 in Gray
8X35 in Gray
Autumn Gold[™]
Double D-28 in Gray
10 Base in SFSV and D-28 in Gray
80mm SFSV in Gray

Polarized Glass

Polarized Photochromic Colors
Progressive
Custom Made Items

Regular Plastic Clear

Acclaim 61[™] Series Trifocals
Trifocal Adds over 500
Thicks, Extra Thick & Plano Backs
81mm Round Seg
81mm 8X35
5 Thickness Options in Most Styles
Double D 35mm

High-X[™] 1.55 Clear

10 Base D-28
10 Base 7X28
12 Base SFSV
12 Base D-28
-3 Base D-28
Extra Thicks in most styles

High-X[™] 1.67 Clear

-2 Base D-28
9 Base D-28

Aris[™] Trivex[®] Clear

7X28
D-28 375 & 400 Adds
Round 24 Seg
D-35
Double-D 28
Extra Thicks in most styles
8X35
81mm SFSV
10 Base in SFSV and D-28

OUR PROMISE

EVERY ONE MATTERS —

EVERY PERSON, EVERY LENS, EVERY DAY.

Transitions 1.50	Base Curves	Rx Range	Adds
SFDS, spherical for digital (gray / brown)	050, 2, 3, 4, 5, 6, 7, 8, 10	-9.00 to +7.00	
SFSV, spherical (gray / brown / XTRActive / Vantage)	050, 2, 4, 5, 6, 8	-9.00 to +5.00	
Freedom ID™ (gray)	3, 5, 6, 7	-7.00 to +5.00	100 - 300
FT 28 (gray / brown / XTRActive)	050, 2, 4, 5, 6, 8	-9.00 to +5.00	100 - 300
FT 28 (gray / brown / XTRActive)	4, 6, 8	-4.00 to +4.25	075, 325 - 500
FT 28 (gray)	10	-4.50 to +7.00	100 - 300
FT 35 (gray)	2	-4.25 to -7.00	100 - 300
FT 35 (gray/brown)	4, 6, 8	-4.50 to +4.50	075 - 400
RD 24 (gray/brown)	4, 6, 8	-4.00 to +5.00	075 - 400
7X28 (gray/brown)	2	-4.25 to -7.00	150 - 300
7X28 (gray/brown)	4, 6, 8	-4.00 to +4.25	150 - 400
7X28 (gray)	10	+4.50 to +7.00	175 - 300
8X35 (gray)	2	-4.25 to +7.00	150 - 300
8X35 (gray / brown)	4, 6, 8	-4.00 to -5.00	150 - 400

Transitions High-X 1.55	Base Curves	Rx Range	Adds
SFSV, spherical (gray/brown)	050, 2, 4, 6, 8, 10	-11.00 to +9.00	
FT 28 (gray/brown)	050, 2, 10	-11.00 to -4.50, +5.25 to +9.00	100 - 350
FT 28 (gray/brown)	4, 6, 8	-4.25 to +5.00	100 - 400
FT 35 (gray)	050, 2	-11.00 to +4.50	100 - 350
FT 35 (gray / brown)	4, 6, 8	-4.25 to +5.50	100 - 400
7X28 (gray)	050, 2, 10	-11.00 to -4.50, +5.25 to +9.00	175 - 350
7X28 (gray/brown)	4, 6, 8	-4.25 to +5.00	150 - 400
8X35 (gray)	2, 4, 6, 8	-7.00 to +5.50	150 - 300

Transitions High-X 1.67	Base Curves	Rx Range	Adds
Freedom ID 1.67 (gray)	1, 3, 5, 6, 7	-12.50 to +6.50	100 - 300

Transitions Aris Trivex	Base Curves	Rx Range	Adds
FSV (gray)		Plano to -6.00, out to -2.00 cyl	
SFSV, spherical (gray/brown)	050, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10	-9.00 to +6.50	
SFSV, spherical (Autumn Gold/XTRA/Vant.)	1, 2, 3, 4, 5, 6, 7, 8, 9	-9.00 to +6.50	
SFSV, aspheric (gray / brown)	050, 1, 2, 3, 4, 5, 6, 7, 8, 9	-10.00 to +8.50	
Freedom ID (gray/XTRActive / Vantage)	3, 5, 7	-4.50 to +4.50	100 - 300
FT 28 (gray all bases / brown 2 to 8 base)	050, 2, 4, 6, 8, 10	-8.00 to +5.50	100 - 400
RD 24 (gray)	2, 4, 6, 8	-8.00 to +5.50	100 - 300
7X28 (gray/brown)	2, 4, 6, 8	-8.00 to +5.50	150 - 350
FT 35 (gray)	2, 4, 6, 8	-8.00 to +5.50	100 - 400
8X35 (gray)	2, 4, 6, 8	-8.00 to +5.50	150 - 300
Occupational DD 28, hard coated	4	-4.50 to -2.25	150 175 200 225 250 150 175 200 225 250
Un-Even Adds <small>125 125 150 175 200 225 250 200 225 250</small>	6	-2.00 to +2.00	100 125 150 175 200 225 250 275 300 100 125 150 175 200 225 250 275 300

Aris Trivex Clear	Base Curves	Rx Range	Adds
FSV, spherical, tintable hard coat		+4.00 to -6.00, out to -2.00 cyl	
FSV, spherical, Hydrophobic/Oliophobic AR coat		+2.00 to -6.00, out to -2.00 cyl	
SFSV, spherical, hard coated, (regular / thick)	050, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10	-10.00 to +8.00	
SFSV, aspheric, hard coated	050, 1, 2, 3, 4, 5, 6, 7, 8, 9	-10.00 to +8.50	
SFSV, spherical, uncoated, (regular / thick)	050, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10	-10.00 to +8.00	
SFSV, aspheric, uncoated	050, 1, 2, 3, 4, 5, 6, 7, 8, 9	-10.00 to +8.50	
SFSV 81mm, spherical, coated, uncoated, (regular / thick)	6, 7, 8, 9	-2.00 to +6.00	
Freedom ID	3, 5, 7	-2.00 to +6.50	100 - 300
FT 28, (regular / thick)	050, 2, 4, 6, 8, 10	-7.00 to +8.00	100 - 400
RD 24, (regular / thick)	2, 4, 6, 8	-7.00 to +5.50	100 - 350
7X28, (regular / thick)	2, 4, 6, 8	-7.00 to +5.50	150 - 350
FT 35, (regular / thick)	2, 4, 6, 8	-7.00 to +5.50	100 - 400
8X35, (regular / thick)	2, 4, 6, 8	-7.00 to +5.50	150 - 300
Occupational DD 28, hard coated	4	-4.50 to -2.25	<small>150 175 200 225 250 150 175 200 225 250</small>
Un-Even Adds <small>125 125 150 175 200 225 250 200 225 250</small>	6	-2.00 to +2.00	<small>100 125 150 175 200 225 250 275 300 100 125 150 175 200 225 250 275 300</small>

Aris® Trivex® SFSV Sun Lenses	Base Curves	Rx Range	Colors
74mm Polarized	2, 4, 6, 8	-8.00 to +5.50	Gray C, Brown C
75mm Polarized Photochromic	4, 6, 8	-4.50 to +5.50	Gray, Brown
75mm Fixed Tint	050, 2, 4, 5, 6, 8	-10.50 to +5.50	Gray, Green, Brown
75mm Photochromic	050, 2, 4, 5, 6, 8	-10.50 to +5.50	Gray, Brown, Copper, Yellow
75mm Fixed Tint Mirror Coated	050, 2, 4, 5, 6, 8	-10.50 to +5.50	Silver, Gold
80mm Fixed Tint	6, 8	-2.00 to +5.50	Gray, Green, Brown
80mm Photochromic	6, 8	-2.00 to +5.50	Gray, Brown, Copper, Yellow
80mm Fixed Tint Mirror Coated	6, 8	-2.00 to +5.50	Silver, Gold

High-X 1.55 Clear	Base Curves	Rx Range	Adds
SFSV, spherical, hard coated (regular)	-4, -2, 050, 2, 4, 6, 8, 10, 12	-20.50 to +13.00	
SFSV, spherical, hard coated (thick)	050, 2, 4, 6, 8, 10	-10.75 to +8.00	
FT 28, hard coated (regular)	-3	-18.00 to -11.00	150 - 400
FT 28, hard coated (regular/thick)	050, 2, 4, 6, 8, 10	-10.75 to +8.00	100 - 400
FT 28, hard coated (regular)	12	+8.25 to +13.00	200 - 350
FT 35, hard coated (regular/thick)	2	-7.00 to 4.50	100 - 350
FT 35, hard coated (regular)	4	-4.25 to -2.25	100 - 400
FT 35, hard coated (regular/thick)	6, 8	-2.00 to +5.00	100 - 400
7X28, hard coated (regular/thick)	050, 2, 4, 6, 8	-10.75 to +8.00	150 - 400
7X28, hard coated (regular/thick)	10	+5.25 to +8.00	175 - 400
8X35, hard coated (regular/thick)	2	-7.00 to +4.50	150 - 350
8X35, hard coated (regular/thick)	4, 6, 8	-4.25 to +5.00	150 - 400

High-X 1.67 Clear	Base Curves	Rx Range	Adds
FSV, aspheric, hard coated		Plano to -10.00 out to -3.00 cyl	
FSV, aspheric, AR coated		Plano to -10.00 out to -3.00 cyl	
SFSV, spherical, hard coated	-6, -2, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12	-16.25 to +12.50	
Freedom ID, hard coated	1, 3, 5, 6, 7	-12.50 to +6.00	100 - 300
FT 28, spherical, hard coated	-2	-20.00 to -9.25	200 - 350
FT 28, spherical, hard coated	1, 3, 5, 7, 9	-9.00 to +9.00	150 - 350
FT 35, spherical, hard coated	1, 3, 5	-9.00 to +3.00	150 - 350
FT 7X28, spherical, hard coated	1, 3, 5, 7	-9.00 to +5.00	200 - 350
Polarized Polycarbonate	Base Curves	Rx Range	Adds
SFSV, spherical (Gray C/Brown C)	2, 4, 6, 8	-10.00 to +5.50	
Freedom ID (Gray C/Brown C)	3, 5, 7	-4.00 to +5.50	100 - 300
Polycarbonate Clear	Base Curves	Rx Range	Adds
FSV, spherical, non-tintable hard coat		Plano to -4.00 out to -2.50 cyl	
FSV, spherical, non-tintable hard coat		+4.00 to -6.00 out to -2.00 cyl	
2.0mm FSV, spherical, non-tintable hard coat		+3.00 to -6.00 out to -2.00 cyl	
FSV, aspheric, non-tintable hard coat		+2.25 to +6.00 out to -2.00 cyl	
SFSV, spherical, non-tintable hard coat	050, 1, 2, 3, 4, 5, 6, 7, 8, 9	-12.00 to +10.00	
SFSV, aspheric, non-tintable hard coat	050, 1, 2, 3, 4, 5, 6, 7, 8	-10.00 to +8.50	
Freedom ID, non-tintable hard coat	1, 3, 5, 7	-7.00 to +5.00	100 - 300
FT 28, spherical, non-tintable hard coat	050, 2, 4, 6, 8	-12.50 to +6.00	100 - 300
Polarized Hard Resin	Base Curves	Rx Range	Adds
FSV, spherical, uncoated (Gray C/Brown C)	6	Plano	
SFSV, spherical, uncoated (Gray C/Brown C)	2, 3, 4, 5, 6, 7, 8	-8.00 to +5.00	
Freedom ID, uncoated (Gray C/Brown C)	3, 5, 7	-4.00 to +5.00	100 - 300
FT 28, spherical, uncoated (Gray C/Brown C)	2, 4, 6, 8	-8.00 to +5.00	100 - 300
Hard Resin Executive Style	Base Curves	Rx Range	Adds
Bifocals, 68mm, uncoated, decentered	2, 4, 6	-8.00 to +2.50	100 - 300
Trifocals, 68mm, uncoated	4, 6	-4.00 to +2.50	175 - 300
Hard Resin Lenticular Style	Base Curves	Rx Range	Adds
Round 24, 68mm, uncoated, 40mm field	12, 14, 16	+7.00 to +15.00	100 - 300
SFSV, 68mm, uncoated, 40mm field	12, 14, 16, 18, 19	+7.00 to +19.00	

Hard Resin Single Vision	Base Curves	Rx Range
SFSV, 71mm, spherical, uncoated	Plano, 2, 4, 6, 8, 10, 12, 14	-10.00 to +12.00
SFSV, 75mm, spherical, uncoated	-4, -2, 050, 2, 4, 6, 8	-17.00 to +5.00
SFSV, 81mm, spherical, uncoated	4, 6, 8	-4.00 to +5.00
SFSV, 75mm, aspherical, uncoated	4, 5, 6, 7, 8, 9	-0.00 to +7.50
SFSV, 75mm, aspherical, hard coated	4, 5, 6, 7, 8, 9	-0.00 to +7.50

All Single Vision Are Available in Thick, Xtra-Thick and Plano Back Options

Hard Resin Freedom ID™	Base Curves	Rx Range	Adds
75mm, hard coated, 17mm design	3, 5, 6, 7	-7.00 to +5.00	100 - 350

Hard Resin Flat Top Bifocals	Base Curves	Rx Range	Adds
FT 25, 71mm, uncoated	Plano, 2	-10.00 to -4.25	100 - 300
FT 25, 71mm, uncoated	4, 6, 8	-4.00 to +5.00	075 - 600
FT 25, 75mm, uncoated	4, 6, 8	-4.00 to +5.00	075 - 400
FT 25, 71mm, uncoated	10	+4.25 to +7.00	075 - 300
FT 28, 71mm, uncoated	Plano	-10.00 to -7.25	100 - 300
FT 28, 71mm, uncoated	2	-7.00 to -4.25	100 - 400
FT 28, 71mm, uncoated	4, 8	-4.00 to -2.25	075 - 400
FT 28, 71mm, uncoated	6	-2.00 to +2.00	050 - 400
FT 28, 71mm, uncoated	10	+4.25 to +7.00	075 - 300
FT 28, 75mm, uncoated	050, 2	-10.00 to -4.25	100 - 300
FT 28, 75mm, uncoated	4, 8	-4.00 to -2.25, +2.25 to +5.00	075 - 600
FT 28, 75mm, uncoated	6	-2.00 to +2.00	050 - 600
FT 28, 81mm, uncoated	4, 6, 8	-4.00 to +5.00	075 - 400
FT 35, 71mm, uncoated	Plano	-10.00 to -7.25	100 - 300
FT 35, 71mm, uncoated	2	-7.00 to -4.25	100 - 400
FT 35, 71mm, uncoated	4, 6, 8	-4.00 to +5.00	075 - 400
FT 35, 71mm, uncoated	10	+4.00 to +7.00	075 - 300
FT 35, 75mm, uncoated	2	-7.00 to -4.25	100 - 300
FT 35, 75mm, uncoated	4, 6, 8	-4.00 to +5.00	075 - 400
FT 35, 81mm, uncoated	4, 6, 8	-4.00 to +5.00	075 - 400

All Flat Top Bifocals Are Available in Thick, Xtra-Thick and Plano Back Options

Hard Resin Round Bifocals	Base Curves	Rx Range	Adds
Round 22mm, 71mm, uncoated	Plano, 2	-10.00 to -4.25	100 - 300
Round 22mm, 71mm, uncoated	4, 8	-4.00 to -2.25, +2.25 to +5.00	075, 325 - 600
Round 22mm, 71mm, uncoated	6	-2.00 to +2.00	050, 075, 325 - 600
Round 22mm, 71mm, uncoated	10	+4.00 to +7.00	075 - 400
Round 22mm, 74mm, uncoated	4, 6, 8	-4.00 to +5.00	100 - 300
Round 22mm, 75mm, uncoated	2	-7.00 to -4.25	100 - 300
Round 22mm, 75mm, uncoated	4, 6, 8	-4.00 to +5.00	075, 325 - 600
Round 24mm, 81mm, hard coated	4, 6, 8	-4.00 to +5.00	100 - 300
Blended Round 25mm, 75mm, uncoated	2, 4, 6, 8	-7.00 to +5.00	100 - 400

All Round Seg Bifocals Are Available in Thick, Xtra-Thick and Plano Back Options

Hard Resin Flat Top Trifocals	Base Curves	Rx Range	Adds
7X25, 71 mm, uncoated	Plano, 2	-10.00 to -4.25	175 - 300
7X25, 71 mm, uncoated	4, 6, 8	-4.00 to +5.00	150 - 400
7X25, 71 mm, uncoated	10	-4.25 to +7.00	200 - 300
7X25, 75 mm, uncoated	4	-4.00 to -2.25	200 - 300
7X25, 75 mm, uncoated	6, 8	-2.00 to +5.00	175 - 300
7X28, 71 mm, uncoated	Plano	-10.00 to -7.25	200 - 300
7X28, 71 mm, uncoated	2	-7.00 to -4.25	200 - 400
7X28, 71 mm, uncoated	4, 6, 8	-4.00 to +5.00	150 - 400
7X28, 71 mm, uncoated	10	-4.25 to +7.00	200 - 300
7X28, 75 mm, uncoated	4	-4.00 to -2.25	150 - 600
7X28, 75 mm, uncoated	6, 8	-2.00 to +5.00	175 - 600
7X28, 81 mm, uncoated	4, 6, 8	-4.00 to +5.00	150 - 400
7X35, 71 mm, uncoated	2	-7.00 to -4.25	175 - 350
7X35, 71 mm, uncoated	4, 8	-2.00 to +5.00	150 - 350
7X35, 71 mm, uncoated	6	-2.00 to -2.00	150 - 400
7X35, 75 mm, uncoated	2	-7.00 to -4.25	200 - 325
7X35, 75 mm, uncoated	4	-4.00 to -2.25	150 - 400
7X35, 75 mm, uncoated	6, 8	-2.00 to +5.00	175 - 400
8X35, 75 mm, uncoated	2	-7.00 to -4.25	150 - 300
8X35, 81 mm, uncoated	4, 6, 8	-4.00 to +5.00	150 - 400

All Flat Top Trifocals Are Available in Thick, Xtra-Thick and Plano Back Options

Acclaim™ Trifocals, 61% Intermediate Powers	Base Curves	Rx Range	Adds
8X34, 75 mm, hard coated	4, 6	-2.00 to +5.00	150 - 300
10X35, 75 mm, hard coated	4, 6, 8	-4.00 to +5.00	150 - 350
12X35, 75 mm, hard coated	4, 8	-4.00 to -2.25, +2.25 to +5.00	200 - 300
12X35, 75 mm, hard coated	6	-2.00 to -2.00	150 - 300
14X35, 75 mm, hard coated	4, 6	-2.00 to +5.00	150 - 300

All Acclaim Trifocals Are Available in Thick, Xtra-Thick and Plano Back Options

Occupational DD 28, hard coated	4	-4.00 to -2.25	100 125 150 175 200 225 250 275 300 100 125 150 175 200 225 250 275 300
	4	-4.00 to -2.25	100 125 175 150 175 200 200 225 225 200 250 250
	6	-2.00 to -2.00	100 125 150 175 200 225 250 275 300 100 125 150 175 200 225 250 275 300
Occupational DD 35, hard coated	6	-2.00 to -2.00	100 100 100 125 125 125 125 150 175 200 175 200 225 250
	6	-2.00 to -2.00	150 150 150 150 175 175 200 200 225 250 275 225 250 250
	8	+2.25 to +5.00	100 125 150 175 200 225 250 275 300 100 125 150 175 200 225 250 275 300
	8	+2.25 to +5.00	100 125 125 150 175 200 200 200 225 200 225 250
	6	-4.00 to -2.25	150 175 200 225 250 150 175 200 225 250
Occupational DD 35, hard coated	6	-2.00 to -2.00	100 125 150 175 200 225 250 275 300 100 125 150 175 200 225 250 275 300
	6	-2.00 to -2.00	125 125 150 175 200 225 250 200 225 250